

PRC-006-2
August 24, 2015

Frank Vick

U.S. Regulatory Status

- **PRC-006-2**
 - Approved by FERC Letter Order on March 4, 2015
 - Enforcement date: October 1, 2015
 - Retires PRC-006-1

FERC Directive

FERC Directive in Order No. 763	How Directive was Met
<p>Explicitly require corrective action in accordance with a schedule established by the Planning Coordinator</p>	<p>This is accomplished by additional language in Reliability Standard PRC-006-2, Requirements R9 and R10, and the introduction of a new Requirement R15. The revisions also place deadlines for corrective action plans to be developed by the Planning Coordinator. The petition states that these proposed deadlines are within the timeframes identified in Requirements R4, R5 or R12.</p>

Purpose of PRC-006-2

Purpose: To establish design and documentation requirements for automatic underfrequency load shedding (UFLS) programs to arrest declining frequency, assist recovery of frequency following underfrequency events and provide last resort system preservation measures.

PRC-006-2 Change Summary

- **PRC-006-1 to PRC-006-2**
 - To achieve consistency of terminology throughout this standard, the word “**application**” was replaced with “**implementation.**” (See Requirements R3, R14 and R15)
 - “**Corrective Action Plan**” language was added in response to the FERC directive from Order No. 763 (see Requirements R9 and R10)
 - “**Corrective Action Plan**” is defined in the NERC Glossary of Terms as, “a list of actions and an associated timetable for implementation to remedy a specific problem.”
 - Addition of Requirement R15

Impact of New Requirement R15

Each Planning Coordinator that conducts a UFLS design assessment under Requirement R4, **R5**, or R12 and determines that the UFLS program does not meet the performance characteristics in Requirement R3, shall develop a Corrective Action Plan and a schedule for implementation by the UFLS entities within its area. *[VRF: High][Time Horizon: Long-term Planning]*

- **15.1.** For UFLS design assessments performed under Requirement R4 or **R5**, the Corrective Action Plan shall be developed within the five-year time frame identified in Requirement R4.
- **15.2.** For UFLS design assessments performed under Requirement R12, the Corrective Action Plan shall be developed within the two-year time frame identified in Requirement R12.

Questions?

